

Scissor Lift

Used Scissor Lift Saskatchewan - Scissor lifts are industrial equipment that relies on steel linked arms to lift vertically. This equipment is utilized to create an “X” patterned support in order to accomplish vertical lifting. Workers use a sizeable rectangle platform that is secured to the top of the lifting apparatus. To maintain operator safety, there are support railings at the top of the platform. The scissor lift has a low profile to maintain stability on hard, compact surfaces like concrete. These units can run on either a combustion engine or electric engine to handle the lifting and transporting of the machine. The lift function operates on a vertical plane only. In order for the operator to transport the lift horizontally, they will have to reposition the lift itself. The same lifting technology is used for the lifting components in regular scissor lift models as well as rough terrain models. The rough terrain is specially designed for traversing uneven ground. Oversized all-terrain tires often accompany rough terrain models to provide higher ground clearance. Certain models offer 4WD making them able to traverse through dirty areas. The higher center of gravity works in conjunction with lower lifting heights. These machines can be intimidating if you have never been on one or operated one previously. While you may think this machine is susceptible to swaying in the wind or becoming unbalanced, understand that it has been designed to ensure total operator safety and that likely, you will not even feel the machine moving. A variety of safety tests have to be completed before this unit can be sold. Of course, if you are new to this kind of equipment, it is normal to feel unsure until you familiarize yourself with the unit. Safety precautions need to be maintained at all times. There are many different kinds of electric scissor lift models to choose from, depending on what you will be using it for. The unit you need will vastly depend on the kind of work you need to do. How high you need to travel and how heavy the loads you will be transporting are all key factors. There are different models on the market that can help you reach various heights. Compact units are often used for interior locations including factories, warehouses or freight locations. If you do not need the highest capacity model, there is no need to choose the largest unit available. Optional railings and platforms are available on electrical scissor lifts to provide maximum safety. These units are safe and reliable. Of course, if these units did not undergo strict inspections and safety certification, they would not be for sale all over the world. Scissor lifts help people accomplish tasks that are otherwise unattainable, unreachable or inaccessible. As these machines vertically elevate, the machine is transported into the correct location before lifting occurs. The operator will ensure it is the proper position prior to engaging the lift. There are a variety of safety features incorporated into the design. It is essential to follow operational guidelines to maintain everyone’s safety. The scissor lift’s safety basket creates a secure work area compared to trying to accomplish similar tasks from a ladder or scaffolding. Most scissor lifts rely on internally mounted batteries within the lifts’ base for power. After working an extensive shift or for prolonged periods of time, charging is necessary. Numerous operators charge their units throughout the day or replace batteries every 12 hours. To facilitate scissor lift charging, the operator can park the machine close to an electrical outlet in a well-ventilated place. After the scissor lift is parked the emergency shut-off switch is activated for safety. The emergency shut-off switch is the big red button located in the basket or the lift close to the control box or the charger. The battery charger is commonly located on the right side of the lift on the base. Many older models may feature the battery charger mounted on the back of the scissor lift. The charger for the machine is plugged into the AC extension cord within a well-ventilated area and the extension cord plugs into an electrical outlet. The electrical cord length on the battery charger has to be short for safety reasons to prevent the unit from running over it. There is a high possibility of danger if the extension cord dropped out of the battery charger while the machine is in operation. Once the scissor lift is plugged in, all of the lights on the charger should ideally become illuminated. The batteries will automatically begin charging once plugged in. The battery lights will switch to green once complete charging has occurred and the charger will shut off. Models that are older and rely on a meter will show zero volts after they are charged fully and

then the charger will also turn off automatically. After the batteries are completely charged the scissor lift can complete another shift. Many places employ their scissor lift for 24 hours a day by having additional batteries continually charging.