

## Boomlift / Manlift

Used Boom Lift Saskatchewan - In terms of popular aerial machinery, the boom lift is one of the most recognizable. Commonly known as aerial work platforms, mobile elevating work platforms, cherry pickers, aerial devices and elevating work platforms, it was engineered to complete work at higher locations more efficient and easier. There are many places to find boom lifts at work including warehouses, contractors, various companies and in retail stores. Workers need to remain safe as they access locations at higher altitudes. There is a wide variety of boom lift models to choose from. Most boom lifts can be successfully run with a single operator. This machine is popular for harvesting fruit in locations such as orchards that historically relied on climbing dangerous ladders. Ladders need to be secured on solid, even ground in order to be safely accessible, making them hard to rely on in a natural orchard setting. Boom lifts make it much easier to reach high tree tops for collecting fruit. Gaining Access Over Obstacles Certain boom lifts are designed to move up and over items. This makes working over obstacles possible. This equipment is used in numerous industries including installing telephone poles and lines, maintaining overhead cables and window cleaning applications due to their ability to reach items when it is not practical to situate the machine directly underneath the issue. Articulated boom lifts are comprised of many joints that allow the machine to bend under or over obstacles. To enable operators to access many places, these sections of the boom lift can move independently. Articulated booms feature a tight turning radius, making them ideal for hallways and narrow storage corridors. There are dual-fuel models that can work inside and outside; diesel is best utilized outside while interior locations rely on electric models. Articulating Boom Lifts Popular for maintenance jobs and construction, articulating boom lifts are a useful piece of material handling equipment. These machines are often seen servicing overhead wires and power lines. Firefighters may use these machines and some articulated boom lifts have water cannons. Some models are built for extended reach applications and outfitted with telescoping sections. There are articulating boom lifts complete with an additional jib that allows the platform to extend an extra 6 feet in any direction. These boom lifts go by the nickname of "spiders," since their legs can support the entire machine on steep or difficult terrain. Smaller units called interior articulating boom lifts are capable of fitting through doorways, making them valuable in retail, warehousing and storage facilities. Electric boom lifts are common for interior jobs due to their quieter options and lack of unhealthy carbon monoxide exhaust. Telescopic Boom Lifts Telescopic boom lifts do not bend the way articulating boom lifts do. These models extend upwards and outwards, relying on hydraulics that extend and retract. No second operator is required as the platform operator can extend the lift with the controls. Certain larger and taller models feature a jib located close to the top similar to an articulating boom lift model. Boom lifts are available that reach higher than one-hundred and eighty feet. In less than a minute, some models can reach their full extended height since these machines are so stable and reliable. There are dual-fuel and diesel models available. Weight range capacities vary from 500 lbs. to 1000 lbs. and speed is adjustable. Available in 4WD and the ability to fit through small spaces. In terms of combining height and reach, telescopic boom lifts are your best bet. Jib The jib is the extension found at the end of the main boom and between the platform. This enables extra reach and another articulation point or hinge for the platform to move side-to-side or up-and-down. Jibs are an option on many telescoping and articulating boom lifts. Articulating models have a joint situated roughly halfway between the wheels and the platform to enable it to reach over an obstacle and then lower again if required. Genie Articulating Boom Lifts The Genie Z-boom model is a common kind of articulating boom lift that can be found on the market. Designed to provide the most versatility in difficult to access spaces, this model has the capacity to lift up, over and out with superior positioning. In 1985, the first Genie Z-30/20 articulating Z-boom was introduced; their up-and-over capacity make them instantly popular and this design continues today. Proper Safety Measures Of course, safety is the highest priority when operating any type of boom lift. Safety hazards must

be advertised to everyone who is working in the area for best practices. Safely operating the equipment is a top priority for the operator and everyone in the working environment. Before starting the boom lift, it is paramount that the proper safety gear and communication is in place. Ensure there are no flammable or combustible items, open flame or lit cigarettes near the machine, engine fuels or battery gases. For the ultimate safety, it is important to have a visible, safely mounted and accessible fire extinguisher within the operators reach. Keep work surfaces and charging stations clean and free from clutter or tools that could puncture the tires or damage the machine or its components. Daily Maintenance Daily maintenance includes a visual inspection and consulting the maintenance manual to ensure the machine is up to date and will operate safely. Lifting and supportive devices need to stabilize the weight on hand. Straps, fasteners and chains need to be checked they are in good condition. Single-use fasteners and components must not be reused as they may fail and become extremely dangerous. It is vital to discard oils and solvents safely and efficiently to prevent contaminating the environment. Adequate ventilation and lighting are essential in garages, workshops and along workbenches. Typically the wide umbrella of maintenance is distinguished by subsections such as Commissioning and Programmed Maintenance Intervals, Annual Maintenance, and Quarterly Maintenance. Maintenance Inspection Report The boom lift components are divided and categorized to streamline the process of inspection. Common maintenance categories include Control and Function, Turntable, Booms, Platform, Drive Chassis and Engine. Improper completion can result in unsafe operation, damage to components, poor performance and downtime. The maintenance inspection report is an essential component to keeping the machine operable and the staff safe while extending the service life and overall performance of the machine. The term commissioning refers to a list of single maintenance procedures that need to be completed at 50- and 150-hour intervals to keep the machine optimally running. Quarterly and annual maintenance is required to be performed throughout the year. There are a variety of programmed maintenance procedures based on preparing the machine for pre-delivery machine operating. Prior to operating your equipment, check your maintenance manual to make sure all of the fluid levels, oil changes, battery life and maintenance are up to date.